


Catalogue 2021



আর এফ এল

Industrial CATALOGUE

For Material handling,
Storage and Transportation



www.rflhouseware.com



Eco-Friendly



Weather Proof



Attractive Fast Colours



Impact Resistant



Easy Maintenance

Plastics continue to find increased use both in industrial and household segments. Flexibility of design and manufacturing, cost advantages, and easy maintenance of plastic components will continue to support the growth of plastic Industry. Hence Plastic sector is classified as a "Nationally Important Industry". The international trend has switched towards the use of plastic pallets and they are already in use in a wide range of industries.

RFL plastic pallets are a result of many years of continued and extensive research, development and use, offering a cost-effective solution to diverse materials handling requirements, as well as offering many benefits over traditional materials, such as wooden pallets.

Durability

Plastic pallets offer high dimensional stability with variation of loads, from Light-Weight, through Medium-Duty up to Heavy-Duty.

Safety

Plastic pallets have no sharp edges, no nails and no splinters, so they minimize the damage to personnel and goods and are safe and easy to handle. They are non-absorbent and neutral to odors and tastes, which makes them more hygienic and thus suitable for pharmaceutical or food applications.

Environmentally

Our plastic pallets are environmentally friendly. They are 100% recyclable. That reduces the chopping down of trees by replacing wooden pallets, thereby decreasing global warming

Advantages of Pallet

- Plastic pallets have substantially longer life.
- Plastic pallets have fewer or no repairs
- Plastic pallets improve efficiencies due to standard dimensions and lack of broken board
- Plastic pallets offer better product protection no nails or broken boards to damage payload.
- Plastic pallets offer better stability no damaged or missing boards causing spills or falling stacks.
- Plastic pallets improve safety and lower workers compensation claims
- Plastic pallets allow greater utilization of warehouse space stability and higher stacking.
- Plastic pallets are cleaner and will not absorb moisture or bacteria or made of broken wood chips.
- Plastic pallets provide more attractive product displays in retail applications color options.
- Plastic pallets cause less damage to retailer's floors.
- Plastic pallets are lighter weight and easier to handle possibly greater payloads on trucks
- Plastic pallets offer unique color and brand allowing owners to identify and separate their pallets.

Applications of Plastic Pallets

- Agriculture
- Automotive
- Building and construction
- Garments
- Electronics
- Food and groceries
- Shipment of Goods
- Freight forwarding
- Household goods
- Logistics
- Nurseries
- Pharmaceuticals &
- Warehousing

*Loading Capacity of Pallet Made of HDPE Can be Varied






আর এফ এল
হাউজওয়্যার

Consecutively **9** times
Best Brand in Bangladesh



Industrial Pallet (Singal)

Code: 88771



Specifications

	mm	inch
Length	1200	47
Width	1000	39.5
Height	76	3
Weight	7.50 kg ($\pm 3\%$)	
Material	PP / HDPE*	

Loading Capacity


Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	4,000 kg	Depends on Goods Height & Evenly Distributed

Feature

- ▶ High Load Capacity
- ▶ Stacking Facilities
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly

Single Pallet (Black)

Code: 88773



Specifications

	mm	inch
Length	1200	47
Width	1000	39.5
Height	76	3
Weight	8.10 kg (±5%)	
Material	PP / HDPE*	

Loading Capacity

Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	1,500 kg	Depends on Goods Height & Evenly Distributed


Feature

- ▶ High Load Capacity
- ▶ Stacking Facilities
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly



Industrial Pallet (Double)




Code: 88775



Specifications

	mm	inch
Length	1200	47
Width	1000	39.5
Height	160	6.3
Weight	16.50 kg (±3%)	
Material	PP / HDPE*	
Remark	2 way entry	

Material Handling Device

Device Name	Picture	Usability	Side
Forklift		2 ways entry-length sides	A + C
Hydraulic Trolley		2 ways entry-width sides	D + F
Pallet Stacker		2 ways entry-width sides	D + F

Loading Capacity


Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	6,000 kg	Depends on Goods Height & Evenly Distributed
Rack static load	1,200 kg	Depends on Goods Height & Evenly Distributed
Dynamic load	1,000 kg	Depends on Goods Height & Evenly Distributed

Feature

- ▶ High Load Capacity
- ▶ Racking Facilities
- ▶ Stacking Facilities
- ▶ Proper Transportation Facilities
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly

Industrial Pallet (Black)

Code: 88776



Specifications

	mm	inch
Length	1200	47
Width	1000	39.5
Height	160	6.3
Weight	17 kg	(±5%)
Material	PP / HDPE*	
Remark	2 way entry	

Loading Capacity


Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	3,000 kg	Depends on Goods Height & Evenly Distributed
Dynamic load	800 kg	Depends on Goods Height & Evenly Distributed

Feature

- ▶ High Load Capacity
- ▶ Stacking Facilities
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly

Industrial Pallet (Heavy Duty)

Code: 88777



Specifications

	mm	inch
	Length	1200
Width	1000	39.5
Height	150	5.9
H (fork entry)	78	3.1
Weight	18 kg (±3%)	
Material	PP / HDPE*	
Remark	4 way entry	

Material Handling Device

Device Name	Picture	Usability	Side
Forklift		4 ways entry- all sides	A + C & D + F

Fork Spreading Length

Maximum Fork Spreading Length : $A + B + C = 880$ mm
 Minimum Fork Spreading Length : $D + E + F = 706$ mm

Loading Capacity


Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	6,000 kg	Depends on Goods Height & Evenly Distributed
Rack static load	1,200 kg	Depends on Goods Height & Evenly Distributed
Dynamic load	1,000 kg	Depends on Goods Height & Evenly Distributed

Feature

- ▶ High Load Capacity
- ▶ Racking Facilities
- ▶ Stacking Facilities
- ▶ Proper Transportation Facilities
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly

Industrial Pallet (Solid)

Code: 88778



Specifications		
	mm	inch
Length	1200	47
Width	1000	39.5
Height	150	5.9
H (fork entry)	86	3.4
Weight	21.5 kg (±3%)	
Material	PP / HDPE*	
Remark	4 way entry	

Material Handling Device			
Device Name	Picture	Usability	Side
Forklift		4 ways entry- all sides	A + C & D + F

Fork Spreading Length

Maximum Fork Spreading Length : $A + B + C = 860$ mm

Minimum Fork Spreading Length : $D + E + F = 700$ mm


Loading Capacity		
Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	6,000 kg	Depends on Goods Height & Evenly Distributed
Rack static load	1,200 kg	Depends on Goods Height & Evenly Distributed
Dynamic load	1,000 kg	Depends on Goods Height & Evenly Distributed

Feature

- ▶ High Load Capacity
- ▶ Racking Facilities
- ▶ Stacking Facilities
- ▶ Proper Transportation Facilities
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly

Tech Pallet (Single)

Code: 91119



Loading Capacity


Loading Ways	Maximum Loading Capacity(kg)	Remarks
Floor static load	4,000 kg	Depends on Goods Height & Evenly Distributed
Dynamic load	600 kg	Depends on Goods Height & Evenly Distributed

Feature

- ▶ High Load Capacity
- ▶ Long Life and Weather Resistant and Excellent Chemical Resistance
- ▶ Saving Cost Compared to Wooden Pallet in the Long Run
- ▶ Environment Friendly
- ▶ Fire Retardancy as per Customer Demand

Heavy Floor Mat (Blue)

Code: 88779



Specifications

	mm	inch
Length	1020	40
Width	510	20
Height	29	1.1
Weight	2.50 kg (±5%)	
Material	PP / HDPE*	
Load Capacity	4 Ton	



Store Basket (Blue)

Code: 86451

Dimension (cm): (49.4x32.5x24.5)



Industrial Basket

Code: 891018



Store Basket Solid (SM Blue)

Code: 923984 (Small), 923983 (Medium)

Dimension (cm): (55.5x36x29.2)

Dimension (cm): (65x45x31)



Store Basket Solid with hole (SM Blue)

Code: 86394 (Small), 86293 (Medium)

Dimension (cm): (55.5x36x29.2)

Dimension (cm): (65x45x31)



Deluxe Crate (Blue)


Code: 86730

Dimension (cm): (56.5x31x17)



Crate (Tulip Green)

Code: 72017, Dimension (cm): (56x28x17)





Pet Case Small (SM Blue)

Code: 95100

Dimension (cm): (96x57.5x29)



Egg Case Big (Black)

Code: 839876

Dimension (cm): (30x30x5)



Pet Case Big (SM Blue)

Code: 87100

Dimension (cm): (96x57.5x42)



Cargo Box (8,15,30, 50,80 L)

Code: 914539, 914540, 914541, 914542, 91506

Dimension (cm): 80 Liter (66x47.5x39)

Dimension (cm): 30 Liter (52x38.8x27)

Dimension (cm): 8 Liter (40x21.4x17)



Pet Case Small (Black)

Code: 95600 (Small) 923244 (Big)


Dimension (cm): (96x57.5x29)

Dimension (cm): (96x57.5x42)



Store Box

Code: 91503, Dimension (cm): (58.8x39.5x36.5)





AFL
আর এফ এল
হেভি ডিউটি প্যালেট



আপনার পণ্য গুদামজাতকরণ, রক্ষণাবেক্ষণ ও পরিবহনের দায়িত্ব ছেড়ে দিন
আর এফ এল হেভি ডিউটি প্যালেট -এর উপর
পলিপ্রোপাইলিন নিম্ন তৈরি **আর এফ এল হেভি ডিউটি প্যালেট** শক্ত, মজবুত, অধিক ভারবহনে সক্ষম এবং দীর্ঘস্থায়ী আর মালমাল রাখা, এবং পরিবহনে ব্যবহার করা যায় নিশ্চিত।




আর এফ এল
ইভাস্ট্রিয়াল সলিড প্যালেট
থাকলে সব ঠিক



আপনি কি ফার্মাসিউটিক্যালস ব্যবসায়ী ??

আপনি কি ঔষধের রক্ষণাবেক্ষণ নিয়ে চিন্তিত ??
আপনার চিন্তা দূর করতে বাজারে **আর এফ এল** ইভাস্ট্রিয়াল সলিড প্যালেট



- অর্জনা প্রতিরোধ করে
- পণ্যের গুণগত মান অক্ষুণ্ণ রাখে
- ব্যাকটেরিয়া ও জীবাণুর সংক্রমণ রোধ করে
- মরিচা ও পচন এর ঝামেলা মুক্ত
- দীর্ঘমেয়াদে কাস্টের তুলনায় অধিক টেকসই ও সাধার



AFL
আর এফ এল
ইভাস্ট্রিয়াল প্যালেট



পোর্টে গুদামজাতকরণ ও পরিবহনের দায়িত্ব দিন
আর এফ এল ইভাস্ট্রিয়াল প্যালেট-কে

পোর্টে মালমাল রাখার দক্ষতা দূর হলে চিন্তাবে। পলিপ্রোপাইলিন নিম্ন প্রস্তুতকৃত কোর্টিনার্ট ব্যবহার এবং রাবিংয়ে সুবিধা সলিড আর এফ এল ইভাস্ট্রিয়াল প্যালেট শক্ত, মজবুত, অধিক ভারবহনে সক্ষম এবং দীর্ঘস্থায়ী আর মালমাল রাখা, এবং পরিবহনে ব্যবহার করা যায় নিশ্চিত।




...গার্মেন্টসে মালমাল রাখুন আর এফ এল হেভি ফ্লোর ম্যাট-এ, থাকুন নিশ্চিত।

AFL
আর এফ এল
ফ্লোর ম্যাট



গার্মেন্টসের মালমাল রাখার এসে গেছে সেরা সমাধান। আর এফ এল হেভি ফ্লোর ম্যাট আপনার গার্মেন্টসের টেকের কথা পাশ্চাত্য মানসম্মতের সীমার মধ্যে, অংশ উন্নতির জন্য বেছে নেয়া হবে, করা যাবেও বিক্রয়।
পলিপ্রোপাইলিন নিম্ন প্রস্তুতকৃত আর এফ এল হেভি ফ্লোর ম্যাট শক্ত, মজবুত, অধিক ভারবহনে সক্ষম এবং দীর্ঘস্থায়ী। এতে মালমাল রাখা যায় নিশ্চিত।





PRAN-RFL-PUBLIC SCHOOL



AMJAD KHAN CHOWDHURY MEMORIAL HOSPITAL



HABIGANJ INDUSTRIAL PARK (LARGEST FACTORY IN BANGLADESH)



TOP VIEW HIP (LARGEST FACTORY IN BANGLADESH)



আর এফ এল

Winning
National Export Trophy
Consecutively **5** Times





আর এফ এল

For Corporate Order
01841357934

PRAN-RFL Center, 105 Pragati Sarani, Middle Badda, Dhaka 1212, Bangladesh
Phone : 88-02-9881792,88-02-8835546, Fax : 88-02-8837464
E-mail : rfl@prangroup.com Web : www.rflplastics.com

হটলাইন



০৯৬১৩৭৩৭৭৭৭

* যেকোন মোবাইল থেকে ন্যূনতম কলচার্জ প্রযোজ্য